

1 *Hadena (Hadena) bicruris* (HUFNAGEL, 1766)

- a ♂, "Germany centr., Thüringen, Kyffhäuserkreis, Umg. Rossleben, ix.2005 e.l. (leg. R. FIEBIG)"(Coll. R. FIEBIG)
- b ♀, "Germany centr., Thüringen, Kyffhäuserkreis, Umg. Rossleben, ix.2005 e.l. (leg. R. FIEBIG)"(Coll. R. FIEBIG)
- c ♂, "España, Prov. Aragon, Umg. Albarracin, 5 km NÖ Teruel, 27.v.2002 (leg. DRECHSEL & STADIE)"(Coll. D. STADIE)

2 *Hadena (Hadena) atalantica* (HAMPSON, 1905)

- a ♂, HT "Madeira, Porto Santo (gen.prep. NHMUK, Noctuidae 7617♂) (leg. WOLLASTON)" (NHMUK)
- b ♀, "Madeira, Serra de Agua, vi 1969 (leg. PINKER)" (NHMW)
- c ♀, "Madeira, Porto Moniz, sea lev., 4.vii.1991 (gen.prep. H. HACKER 6940♀) (leg. O. KARSHOLT)" (ZMUK)

3 *Hadena (Hadena) karsholti* HACKER, 1995

- a ♀, HT "Madeira, 700 m, Faja da Nogueira, 20.vi.1993, (gen.prep. H. HACKER 6941♀) (leg. O. KARSHOLT)" (ZMUK)

4 *Hadena (Hadena) nigricata* PINKER, 1969

- a ♀, HT "La Palma, Los Sauxes, A. iv 1965 (gen.prep. H. HACKER 6605♀) (leg. PINKER)" (NHMW)

5 *Hadena (Hadena) azorica* Fibiger & MEYER, 2002

- a ♂, HT "Portugal, Azores, Sao Jorge, Velas-Santo Amaro, Picos das Morgadas, 500 m, 17.viii.1990, gen.prep. M. MEYER 1259♂) (leg. M. MEYER)" (NHMUK)

6 *Hadena (Hadena) magnolii magnolii* (BOISDUVAL, 1829)

- a ♂, "Turkey, Erzurum, Gölyurt Gecidi, 1600-1800 m ü.NN, 19.-24.vii.2002 (leg. FIEBIG & ROTHE)"(Coll. R. FIEBIG)
- b ♀, "Turkey, Erzurum, Gölyurt Gecidi, 1600-1800 m ü.NN, 21-23.vi.2001 (leg. FIEBIG & ROTHE)"(Coll. R. FIEBIG)
- c ♀, "Morocco, Moyen Atlas, Mischliften, 1850 m, 10.-22.vi.1973 (leg. VARTIAN)" (NHMW)
- d ♀, "Morocco, Mischliften, 23.iii.1966 (leg. J. PLANTE)" (NHMW)

7 *Hadena (Hadena) compta compta compta* ([DENIS & SCHIFFEMÜLLER], 1775)

- a ♂, "Germany centr., Thüringen, Kyffhäuser, 21.vi 1998 (leg. G. KAITER)"(Coll. R. FIEBIG)
- b ♀, "Germany centr., Thüringen, Kyffhäuser, e.l. 04.v.1985 (leg. G. KAITER)"(Coll. R. FIEBIG)

7 *Hadena (Hadena) compta almoravida* HACKER, 1996

- c ♂, PT "Morocco, Haut Atlas, Oukaimeden, 2600 m, 15.-21.vi.1973 (leg. VARTIAN)" (NHMW)
- d ♀, PT "Morocco, Haut Atlas, Oukaimeden, 2600 m, 15.-21.vi.1973 (leg. VARTIAN)" (NHMW)
- e ♂, PT "Morocco, Haut Atlas, Oukaimeden, 2600 m, 15.-21.vi.1973 (leg. VARTIAN)" (NHMW)

8 *Hadena (Hadena) schwingenschussi* (DRAUDT, 1934)

- a ♀, HT "Morocco, Hoher Atlas, Tachdirt, 2300-2700 m, 3.-25.vii.1933 (gen.prep. H. HACKER 7068♀) (leg. L. SCHWINGENSCHUSS)" (NÖLM)

9 *Hadena (Hadena) confusa confusa* (HUFNAGEL, 1766)

- a ♂, "Germany centr., Harz, Rübeland, 15.vi.1990 e.l. (leg. G. KAITER)"(Coll. R. FIEBIG)
- b ♂, "Morocco, Montes de Beni Snassen, 7 km NO Ain Sfa, 710 m, 02 iv.2011 (leg. STADIE & DRECHSEL)"(Coll. D. STADIE)
- c ♀, "Morocco, Montes de Beni Snassen, 7 km NO Ain Sfa, 710 m, 02 iv.2011 (leg. STADIE & DRECHSEL)"(Coll. D. STADIE)
- d ♂, "Morocco, Montes de Beni Snassen, 7 km NO Ain Sfa, 710 m, 02 iv.2011 (leg. STADIE & DRECHSEL)"(Coll. D. STADIE)

10 *Hadena (Hadena) adriana* (SCHAWERDA, 1921)

- a ♂, HT "Kroatien, Zengg, 30.vi.1917 (gen.prep. Ch. BOURSIN WM.450) (leg. SCHAWERDA)" (NHMW)
- b ♂, "Turkey, Antalya, Thermessos, 370 m, 15.v.2009 (leg. STADIE & LÖBEL)"(Coll. D. STADIE)
- c ♀, "Turkey, Antalya, Thermessos, 370 m, 15.v.2009 (leg. STADIE & LÖBEL)"(Coll. D. STADIE)
- d ♂, "Croatia, Dalmatia, Insel Krk, 10.-22.v.1999 (leg. STADIE)"(Coll. D. STADIE)
- e ♂, "Croatia, Dalmatia, Umg. v. Gravosa, 16.-31.v.1939 (leg. J. KLIMESCH)" (NHMW)

11 *Hadena (Hadena) albimacula albimacula* (BORKHAUSEN, 1792)

- a ♂, "Turkey, Nigde, Aladag W, 5 km SSO von Sulucaova, 2200-2500 m, 16.viii.2009 (leg. R. & S. FIEBIG)"(Coll. R. FIEBIG)
- b ♂, "Turkey, Erzurum, Gölyurt Gecidi, 1600-1800 m ü.NN, 21-23.vi.2001 (leg. FIEBIG & ROTHE)"(Coll. R. FIEBIG)
- c ♀, "Morocco, Moyen Atlas, Ifrane, 1600 m, 8.vi.1973 (leg. VARTIAN)" (NHMW)
- d ♂, "Morocco, Hoher Atlas, Oukaimeden, 2400-2700 m, 7.-21.vii.1972 (leg. FRIEDEL)" (ZSM)
- e ♂, "Morocco, Oukaimeden, 2350 m, 10.vii.1994 (leg. H.-P. SCHREIER)" (ZSM)

11 *Hadena (Hadena) albimacula fantastica* HACKER & FIBIGER, 1999

- f ♂, HT "Yemen, Prov. Sanaà, Jabal an Nabt Shuayb, 3400-3450 m, 19.iv.1998 (leg. BISCHOF, BITTERMANN, FIBIGER, HACKER, PEKS, SCHREIER)" (ZSM)
- g ♂, PT "Yemen, Prov. Sanaà, 6 km nw Suq Bawàn, 3035 m, 20.iv.1998 (leg. BISCHOF, BITTERMANN, FIBIGER, HACKER, PEKS, SCHREIER)" (ZSM)
- h ♂, PT "Yemen, Prov. Sanaà, 6 km nw Suq Bawàn, 3035 m, 20.iv.1998 (leg. BISCHOF, BITTERMANN, FIBIGER, HACKER, PEKS, SCHREIER)" (ZSM)



12 *Hadena (Hadena) duercki* (DRAUDT, 1934)

- a ♂, "Morocco, Hoher Atlas, Oukaimeden, 2350 m, 10.vii.1994 (leg. H.-P. SCHREIER)" (ZSM)
 b ♂, "Morocco, Hoher Atlas, Oukaimeden, 2700 m, 9.vii.1994 (leg. H.-P. SCHREIER)" (ZSM)
 c ♀, "Morocco, Hoher Atlas, Oukaimeden, 2300-2700 m, 5-10.vii.1994 (leg. LÖBEL)" (Coll. LÖBEL)

13 *Hadena (Hadena) clara atlantis* (DRAUDT, 1934)

- a ♂, "Morocco, Hoher Atlas, Oukaimeden, 2700 m, 9.vii.1994 (leg. H.-P. SCHREIER)" (ZSM)
 b ♀, "Morocco, Hoher Atlas, Oukaimeden, 2700 m, 9.vii.1994 (leg. H.-P. SCHREIER)" (ZSM)
 c ♂, "Morocco, Hoher Atlas, Oukaimeden, 2300-2700 m, 5-10.vii.1994 (leg. LÖBEL)" (Coll. LÖBEL)

14 *Hadena (Hadena) salmonea* (DRAUDT, 1934)

- a ♀, HT "Mauritania central, Atlas major, Sidi Chamarouche, Reraia-Tal, 2300 m, 4.vii.1932 (leg. DÜRCK)" (SMNK)
 b ♂, "Morocco, Oukaimeden, 1900 m, 16.-30.vi.1986 (leg. STRÖHLE)" (NHMW)
 c ♀, "Morocco, Haut Atlas, Oukaimeden, 2600 m, 15.-21.vi.1973 (leg. VARTIAN)" (NHMW)
 d ♀, "Morocco, Oukaimeden, 2400 m, 240-30.vii.1988 (leg. G. BEHOUNEK)" (ZSM)

15 *Hadena (Hadena) rolleti* DE LAJONQUIÈRE, 1969

- a ♂, HT "Morocco, Haute Atlas, Oukaimeden, 2650 m, 8.vii.1966 (gen.prep. E. DE LAJONQUIÈRE 265♂) (leg. E. DE LAJONQUIÈRE)" (MHNG)
 b ♀, "Morocco, Haut Atlas, Oukaimeden, 2600 m, 15.-21.vi.1973 (leg. VARTIAN)" (NHMW)
 c ♂, PT "Morocco, Haute Atlas, Oukaimeden, 2650 m, 8.vii.1966 (gen.prep. E. DE LAJONQUIÈRE 284♂) (leg. E. DE LAJONQUIÈRE)" (MHNG)

16 *Hadena (Hadena) luteocincta maroccana* HACKER, 1996

- a ♂, PT "Morocco, Haute Atlas, Oukaimeden, 2650 m, 18.vi.1966 (leg. E. DE LAJONQUIÈRE)" (MHNG)
 b ♂, PT "Moyen Atlas, Mischliffen, 1800 m, 23.vi.-1.vii.1972 (gen.prep. H. HACKER 6776♂) (leg. FRIEDEL)" (ZSM)
 c ♀, PT "Morocco, Haute Atlas, Oukaimeden, 2650 m, 6.vii.1965 (gen.prep. E. DE LAJONQUIÈRE 276) (leg. E. DE LAJONQUIÈRE)" (MHNG)

17 *Hadena (Hadena) filograna filograna* (ESPER, [1788])

- a ♀, "España, Prov. Aragon, Umg. Albarracin, 5 km NÖ Teruel, 27.v.2002 (leg. DRECHSEL & STADIE)" (Coll. D. STADIE)

17 *Hadena (Hadena) filograna rungsi* DE LAJONQUIÈRE, 1967

- b ♀, PT "Morocco, Haute Atlas, Oukaimeden, 2650 m, 12.vi.1966 (leg. E. DE LAJONQUIÈRE)" (MHNG)
 c ♂, HT "Morocco, Haute Atlas, Oukaimeden, 2650 m, 14.vi.1966 (gen.prep. E. DE LAJONQUIÈRE 286♂) (leg. E. DE LAJONQUIÈRE)" (MHNG)
 d ♂, PT "Morocco, Haute Atlas, Oukaimeden, 2650 m, 18.vi.1966 (leg. E. DE LAJONQUIÈRE)" (MHNG)

18 *Hadena (Anepia) syriaca syriaca* (OSTHELDER, 1933)

- a ♂, "Turkey, Antalya, Umg. Seydicehir, 1300-1500 m, 02.vi.2000 (leg. FIEBIG & ROTHE)" (Coll. FIEBIG)

18 *Hadena (Anepia) syriaca petroffi* (WILTSHIRE, 1948)

- b ♂, "Jordan Valley, 200 m below S.L., 12.iv.1953 (leg. T. TROUGHT)" (NHMUK)

19 *Hadena (Anepia) perplexa perplexa* ([DENIS & SCHIFFERMÜLLER], 1775)

- a ♂, "Germany, Kyffhäuser, 06.iv.1987 e.l. (G. KAITER)" (Coll. FIEBIG)
 b ♂, "Morocco, Moyen Atlas, Mischliffen, 1900 m, 23.vi.-1.vii.1972 (gen.prep. H. HACKER 31234♂) (leg. FRIEDEL)" (ZSM)
 c ♀, HT of *Miselia atlas* A. E. PROUT, 1929, "Morocco, Tenfecht, Great Atlas, 3000-4000 ft, 30.iv.-1.v.[19]27 (leg. LE CERF & TALBOT)" (NHMUK)
 d ♂, "Egypt, Sinai, SW of Nuweiba, Zirig Wadi, 650-750 m, 27.-29.iii.1996 (leg. G. LASZLO)" (NHMW)
 e ♂, "Jordanien, 30 km Sv, Mafraq, 21.iii.1965 (leg. VARTIAN)" (NHMW)
 f ♀, "España, Kanarische Inseln, Gran Canaria, n/w San Mateo, La Yedra, 850 m, 16.iv.2004 (leg. E. FRIEDRICH)" (Coll. FRIEDRICH)

20 *Hadena (Anepia) sancta trisagittata* (ROTHSCHILD, 1914)

- a ♂, HT "Algeria, Guelt-es-Stel, 21.iv.1912 (gen.prep. NHMUK Noctuidae No.9720♂) (leg. W.R. & K.J.)" (NHMUK)
 b ♂, "Morocco, 20 km östl. Agadir, Inesgane, 16.-17.iii.1973 (gen.prep. H. HACKER 31220♂) (leg. FRIEDEL)" (ZSM)
 c ♀, "Algeria, 35 km SE Constantine, Umg. Qued Seguin, Djebel Toukouia, 950 m, 28.-29.iv.1986 (leg. DE FREINA)" (ZSM)
 d ♂, "Morocco, Mediterranean Coast, 3 km W Kala-Iris, 100 m, 19.iv.1994 (leg. G. LASZLO)" (NHMW)
 e ♂, "Morocco, Moyen Atlas, Ifrane, 1650 m, 5.v.1997 (leg. STENGEL)" (ZSM)

20 *Hadena (Anepia) sancta atrifusa* WILTSHIRE, 1986

- f ♀, "Yemen, Prov. Sana'a, Pass sw Suq Baw'an, 2900 m, 25.ii.2000 (leg. F. AULOMBARD, M. FIBIGER, H. HACKER & H-P. SCHREIER)" (ZSM)
 g ♀, "Yemen, Prov. Sana'a, 6 km nw Suq Baw'an, 3035m, 20.iv.1998 (leg. BISCHOF, BITTERMANN, FIBIGER, HACKER, PEKS, SCHREIER)" (ZSM)
 h ♂, "Yemen, Prov. Sana'a, Jabal an Nabi Shu'ayb, 3400-3450 m, 19.iv.1998, (gen.prep. H. HACKER 10899♂) (leg. A. BISCHOF, J. BITTERMANN, M. FIBIGER, H. HACKER, H. PEKS, H-P. SCHREIER)" (ZSM)



21 *Hadena (Anepia) avempacei* (TAMS, 1925)

- a ♂, HT "Arabia (Saudi Arabien), Hufuf, 23.i.1924 (leg. Capt.R.E.CHEESMAN)" (NHMUK)
 b ♀, "Saudi Arabien, El Ryadh, 30.iii.1959 (leg. E. DIEHL)" (NHMW)
 c ♂, "UAE, nr. Al-Dhaid, 100 m, 29.iii.-04.iv.1995 (leg. A. LEGRAIN)" (NHMW)
 d ♂, "UAE, nr. Al-Dhaid, 100 m, 29.iii.-04.iv.1995 (leg. A. LEGRAIN)" (NHMW)

22 *Hadena (Anepia) afromontana* spec. nov. HACKER, FIEBIG & STADIE

- a ♂, HT "Uganda, Bwindi, Impenetrable NP, Cuckooland Lodge, 1700 m, 27.-30.iii.2013 (gen.prep. H. HACKER 31861♂) (leg. R. & S. FIEBIG, D. STADIE)" (Coll. D. STADIE)
 b ♂, PT "Kenya, "Kakamega Forest, 4.1.[19]73 (gen.prep. H. HACKER 30935♂) (leg. H. POLITZAR)" (ZSM)

22.1 *Hadena (Maschukia) lypra hajara* HACKER & LEGRAIN, 1996

- a ♂, PT "United Arab Emirates, Masafi, 500, 29.iii.-4.iv.1995 (A. LEGRAIN)" (NHMW)
 b ♀, PT "United Arab Emirates, Masafi, 500, 29.iii.-4.iv.1995 (A. LEGRAIN)" (NHMW)

23 *Hadena (Pronotestra) silenides* (STAUDINGER, 1895)

- a ♀, HT "Espana, Malaga" (MfN)
 b ♀, HT of *Dianthoecia cinochrea* CHRÉTIEN, 1911 "Tunisia, Gafsa, iv." (MNHN)
 c ♀, HT of *Hadena silenides* ab. *pallidior* "Paleastina (Jerusalem) (leg. PAULUS)" (NHMW)
 d ♂, "Morocco, Anti-Atlas Mts., Tizi'n Tarakatine, 1500 m, 11.iv.1994 (leg. G. LASZLO)" (NHMW)
 e ♀, "Morocco, Anti-Atlas Mts., Tizi'n Tarakatine, 1500 m, 26.iii.1996 (leg. B. HERCZIG & K. SZEŐKE)" (NHMW)
 f ♂, "Espana, Kanarische Inseln, Lanzarote, 1 km W Arrieta, 60 m, 14.i.2017 (leg. E. FRIEDRICH & P. PEUKER)" (Coll. FRIEDRICH)
 g ♂, "Syrien, Prov. Homs, Palmyra, 450 m, 4.iv.1989 (leg. J. DE FREINA)" (ZSM)
 h ♀, "Espana, Kanarische Inseln, Lanzarote, 1 km W Arrieta, 60 m, 14.i.2017 (leg. E. FRIEDRICH & P. PEUKER)" (Coll. FRIEDRICH)
 i ♂, "Egypt, Sinai, SW of Nuweiba, Zirig Wadi, 650-750 m, 27.-29.iii.1996 (leg. G. LASZLO)" (NHMW)

24 *Enterpia laudeti laudeti* (BOISDUVAL, 1840)

- a ♂, "Schweiz, Wallis, Zeneggen, e.l. 17.vi.1996 (leg. FORSTER)" (Coll. R. FIEBIG)
 b ♀, "Espana, Prov. Aragon, Umg. Albarracin, 1100 m, 05.-07.vi.2003 (leg. DRECHSEL & STADIE)" (Coll. D. STADIE)

24 *Enterpia laudeti roseomarginata* CALBERLA, 1891

- c ♀, HT "Paleastina (Jerusalem) (gen.prep.HACKER 6602♂ (leg. PAULUS)" (NHMW)
 d ♂, "Jordanien, At Tafil, Dhana Nature Reserve, 1150 m, 12.-15.v.2010 (leg. R. & S. FIEBIG)" (Coll. R. FIEBIG)
 e ♀, "Jordanien, At Tafil, Dhana Nature Reserve, 1150 m, 12.-15.v.2010 (leg. R. & S. FIEBIG)" (Coll. R. FIEBIG)
 f ♂, "SW Saudi Arabia, 78 km E Duba, 5.-6.iv.1997 (leg. LEGRAIN & STASSART)" (Coll. A. LEGRAIN)
 g ♂, "Egypt, Sinai, SW of Nuweiba, Zirig Wadi, 650-750 m, 27.-29.iii.1996 (leg. G. LASZLO)" (NHMW)
 h ♂, "Israel, Yerushalem, 29-30.v.1998 (leg. A. GULYAS)" (ZSM)

25 *Koffoleania michaelae* LAPORTE, 1977

- a ♀, HT "Ethiopia, environs de Koffolé, 2300 m, 27.iii.1975 (gen.prep. B. LAPORTE 1043♂) (leg. P.-C. ROUGEOT)" (MNHN)
 b ♂, "Ethiopia, Addis Ababa, 7.vi.[19]39 ([leg.] T. WIKLEY)" (NHMUK)

26 *Tholeropsis decimata* BERIO, 1977

- a ♂, PT "(Ethiopia) Abessinien, Adis Abeba, 20.vii.1946 (gen.prep. E. BERIO 5324♂) (leg. I. AMBJÖRN)" (NRM)

27 *Tholeropsis uncinata* BERIO, 1977

- a ♂, PT "(Ethiopia) Abessinien, Adis Abeba, 22.vi.1946 (leg. I. AMBJÖRN) (gen.prep. E. BERIO 5325♂)" ([MCSM])

28 *Tholeropsis porphyrota* spec. nov. HACKER

- a ♂, HT "Ethiopia, Prov. Kefa, 11 km NW Jima, 13.v.2008, 1920 m (gen.prep. H. HACKER 31391♂) (leg. H. HACKER & H.-P. SCHREIER)" (ZSM)
 b ♂, PT "Ethiopia, Oromia, Bale Mountains NP, Harena Forest, 2407 m, 18.ii.2012 (gen.prep. H. HACKER 30970 ♂) (leg. H. HACKER & H.-P. SCHREIER)" (ZSM)
 c ♂, PT "Ethiopia, Reg. South. Nations, Boka Forest, 24 km E of Bonga, 2715m, 21.v.2015 (leg. D. STADIE & R. FIEBIG)" (Coll. D. STADIE)

29 *Dargida exoul* (WALKER, 1856)

- a ♂, "Tristan da Cunha" (NHMUK)

30 *Elaemima brunnea* BERIO, 1970


- a ♀, HT of *Elaemima viridis* LAPORTE, 1972 "Cameroon, N'Dongué Sud, 17.x.1971, (gen.prep. B. LAPORTE 422♂) (leg. Ph. DARGE)" (MNHN)
 b ♂, "Congo, Mayombe Forest, Réserve de la biosphère de Dimonika, 400 m, 22.ii.-05.iii.2026 LF (leg. FIEBIG, LARSEN, STADIE & STRUTZBERG)" (Coll. D. STADIE)
 c ♂, "Congo, Mayombe Forest, Réserve de la biosphère de Dimonika, 400 m, 22.ii.-05.iii.2026 LF (leg. FIEBIG, LARSEN, STADIE & STRUTZBERG)" (Coll. R. FIEBIG)

31 *Anarta myrtilli* (LINNAEUS, 1761)

- a ♂, "Germany, Niedersachsen, Oberharz, Umg. Oderteich, 750 m, 17.vii.-06.viii.1999 e.l. (leg. R. FIEBIG)" (Coll. FIEBIG)
 b ♀, "Germany, Niedersachsen, Oberharz, Umg. Oderteich, 750 m, 17.vii.-06.viii.1999 e.l. (leg. R. FIEBIG)" (Coll. FIEBIG)

32 *Anarta trifolii* (HUFNAGEL, 1766)

- a ♀, HT of *Scotogramma trifolii cinnamomina* ROTHSCHILD, 1913, "[Niger]: Nza-ben-Rzig, 24.ii.1912 (leg. HARTERT & HILGERT)" (NHMUK)
 b ♂, ST of *Scotogramma trifolii* f. *fructicosae* DUMONT, 1925 "Tunisie, Tozeur, 1921 (gen.prep. VIETTE 2695♂) (leg. C. DUMONT)" (MNHN)
 c ♀, ST of *Scotogramma trifolii* f. *fructicosae* DUMONT, 1925 "Tunisie, Tozeur, 1921 (leg. C. DUMONT)" (MNHN)



32 *Anarta trifolii* (HUFNAGEL, 1766)

- d ♀, "Tunesien, Umg. Kebili, Oase El Faouar, 05.v.2008 (leg. STADIE, DRECHSEL & GELBRECHT)" (Coll. D. STADIE)
 e ♂, "Espana, Kanarische Inseln, Lanzarote, 1 km W Arrieta, 60 m, 15.i.2017 (leg. E. FRIEDRICH & P. PEUKER)" (Coll. FRIEDRICH)
 f ♂, "Espana, Kanarische Inseln, Lanzarote, 1 km W Arrieta, 60 m, 11.i.2017 (leg. E. FRIEDRICH & P. PEUKER)" (Coll. FRIEDRICH)
 g ♂, "Tunesien, Kaserine, Wadi am Djebel Chaambi, 850 m, 8.-11.x.2006 (leg. STADIE, DRECHSEL & GELBRECHT)" (Coll. D. STADIE)

33 *Anarta endemica* HACKER & SALDAITIS, 2010

- a ♀, PT "W Sokotra, Shuab, coast line, mangroves, 24.iii.2009 (leg. A. SALDAITIS)" (SCDPM)
 b ♀, PT "Sokotra, ii [18]99 (gen.prep. H. HACKER 17907 ♀) (leg. O. SIMONYI)" (NHMW)
 c ♀, PT "Sokotra, ii [18]99 (leg. O. SIMONYI)" (NHMW)

34 *Anarta atlantis* (SCHWINGENSCHUSS, 1955)

- a ♂, HT "H. Atlas, Tachdirt, 2300-2700 m, 3.-25.vii.[19]33 (leg. L. SCHWINGENSCHUSS)" (MNSP)
 b ♂, "Morocco, Haut Atlas, Oukaïmeden, 6.vii.1972 (ex Coll. PLANTE)" (NHMW)
 c ♂, "Morocco, Haut Atlas, Oukaïmeden, 10.vii.1972 (ex Coll. PLANTE)" (NHMW)
 d ♀, "Morocco, Haut Atlas, Oukaïmeden, 2400-2700 m, 5.-21.vii.1972 (leg. FRIEDEL)" (ZSM)

35 *Anarta dianthi dianthi* (TAUSCHER, 1809)

- a ♂, "Turkey, Nevsehir, Kappadokien, Aktepe 1 km SSO, 1070 m, 14.-17.vii.2009 (leg. FIEBIG & ROTHE)" (Coll. R. FIEBIG)
 b ♀, "Turkey, Nevsehir, Kappadokien, Göreme, 1000 m, 25.-28.vi.2001 (leg. FIEBIG & ROTHE)" (Coll. R. FIEBIG)

35 *Anarta dianthi getula* (RUNGS, 1943)

- c ♀, HT "Maroc, vallée moyenne du Dra, Mâder-Bergat, 9.-11.x.1941 (leg. CH. RUNGS)" (MNHN)
 d ♂, "Morocco, Montes de Beni Snassen, 7 km NO Ain Sfa, 710 m, 02.iv.2011 (leg. STADIE & DRECHSEL)" (Coll. D. STADIE)
 e ♀, "Alegria, Umg. Djelfa, 1100 m, 23.-24.iv.1986 (gen.prep. H. HACKER 8701 ♂) (leg. J. DE FREINA)" (ZSM)
 f ♂, "Algeria, Bou Saada, 30.iv.1973 (ex Coll. PLANTE)" (NHMW)
 g ♀, "Algeria, Bou Saada, 30.iv.1973 (ex Coll. PLANTE)" (NHMW)

36 *Anarta sodae sodae* (BOISDUVAL, 1829)

- a ♂, HT "France S, Herault, Montpellier, 01.v.-31.viii.1827 (leg. J.P. RAMBUR)" (MNHN)
 b ♀, "Espana, Prov. Alamaría, Umg. Tabernas, 400 m, 13.-20.x.2004 (leg. DRECHSEL, STADIE & GELBRECHT)" (Coll. D. STADIE)

36 *Anarta sodae rosacea* (ROTHSCHILD, 1920)

- c ♂, HT of *Scotogramma sodae* var. *maroccana* RUNGS, 1938, "Maroc, near Rabat, 20.ix.1938, 18.viii.1938 (leg. CH. RUNGS)" (MNHN)
 d ♀, AT of *Scotogramma sodae* var. *maroccana* RUNGS, 1938, "Maroc, near Rabat, 20.ix.1938, 18.viii.1938 (leg. CH. RUNGS)" (MNHN)
 e ♀, "Algeria, Algier, Hassi Bahbah, 2.vi.1930 (gen.prep. H. HACKER 31239 ♀) (leg. PREDOTA)" (ZSM)
 f ♂, "Marokko Ost, Saidia Umg., Feuchtgebiet am Rio Moloya, 0 m, 15.x.2010, (gen.prep. H. HACKER 31262 ♂) (leg. STADIE & DRECHSEL)" (Coll. D. STADIE)
 g ♀, "Marokko Ost, Saidia Umg., Feuchtgebiet am Rio Moloya, 0 m, 15.x.2010 (leg. STADIE & DRECHSEL)" (Coll. D. STADIE)
 h ♂, "Espana, Kanarische Inseln, Fuerteventura, 2,5 km n/e La Pared, 50 m, 3.i.2022 (leg. E. FRIEDRICH & P. PEUKER)" (Coll. FRIEDRICH)
 i ♂, "Espana, Kanarische Inseln, Fuerteventura, 2,5 km n/e La Pared, 50 m, 3.i.2022 (leg. E. FRIEDRICH & P. PEUKER)" (Coll. FRIEDRICH)

36 *Anarta sodae salicorniae* (DUMONT, 1925)

- j ♂, LT of *Scotogramma salicorniae* DUMONT, 1925 "Tozeur, fin de juillet, 21.vii.1921 (gen.prep. VIETTE 2672 ♂) (leg. C. DUMONT)" (MNHN)
 k ♀, PLT of *Scotogramma salicorniae* DUMONT, 1925 "Tozeur, fin de juillet, 8.iv.1921 (leg. C. DUMONT)" (MNHN)
 l ♀, "Tunesia-Sud, Umgebung von Gabes, 28.iv.-11.v.1981 (gen.prep. HACKER 10336 ♀) (leg. M. & W. GLASER)" (NHMW)
 m ♀, "Tunesia-Sud, Oase Metouia (Gabes), 28.ix.-10.x.1980 (leg. M. & W. GLASER)" (NHMW)

37 *Anarta sabulorum pulverata* (BANG-HAAS, 1907)

- a ♂, "Tunisia, 10 km NNE Tozeur, Dünen, 60 m, 19.iii.1992 (leg. J. DE FREINA)" (ZSM)
 b ♂, ST of *Polia cinnamomeogrisea* ROTHSCCHILD, 1913 "Algeria, Bordj Chegga, Keg-el-Dor" (NHMUK)
 c ♀, HT of *Mamestra pulverata* BANG-HAAS, 1907 "Tunisia, Tunis, Gafsa" (MfN)
 d ♀, "Morocco, Cp. Beibaux, 10.-17.iii.1950 (gen.prep. H. HACKER 31229 ♀) (leg. Rungs-Thami)" (Coll. H. HACKER, ZSM)



38 *Anarta engedina* (HACKER, 1998)

- a ♂, HT "Israel, Ein-Gedi, Dead-Sea, 10.iii.90 (leg. WESTPHAL)" (ZSM)
- b ♂, PT "Israel, Ein-Gedi, Dead-Sea, 10.iii.90 (leg. WESTPHAL)" (ZSM)
- c ♀, "Israel, Northern Negev, Ezuz, 11.iii.2007 (leg. V. KRAVCHENKO)" (NHMW)

39 *Anarta deserticola* (HAMPSON, 1905)

- a ♂, HT of *Aglossesstra deserticola* HAMPSON, 1905 "Suez, 98.59 (leg. J. J. WALKER)" (NHMUK)
- b ♂, ST of *Hadula mariae ludovicæ* D. LUCAS, 1914 "Tunis" (MNHM)
- c ♀, "Algeria, Hassi Babah, 11.-20.x.[19]29 (leg. ZERNY)" (NHMW)
- d ♂, "Tunisia, Oase Metouia (Gabes), 29.ix.-10.x.1980 (leg. M.u.W. GLASER)" (NHMW)

40 *Anarta cimbebasia* (HACKER, 2004)

- a ♀, PT "Namibia, Brandberg, Wasserfallfläche, 1940 m, 19.iii.2001 (leg. W. MEY)" (MfN)

41 *Anarta eremochroa* spec. nov. HACKER & ZILLI

- a ♂, HT "Namibia, Distr. Lüderitz, Klein Aus Vista, 17.ii.2005 (gen.prep. H. HACKER 31029♂) (leg. R. GERSTMEIER & M. MÜLLER)" (ZSM)
- b ♂, PT "Namibia, Aus Vista, 14.iv.2008 (leg. W. MEY)" (MfN)
- c ♀, PT "Namibia, Distr. Lüderitz, Klein Aus Vista, 17.ii.2005 (gen.prep. H. HACKER 31230♀) (leg. R. R. GERSTMEIER & M. MÜLLER)" (ZSM)

42 *Anarta gibeauxi* spec. nov. HACKER, LEGRAIN & ZILLI

- a ♂, HT "RSA, W-Natal, Drakensberg, Sani-Pass 1940 m, 14.xii.2002 (gen.prep. Chr. GIBEAUX 8342♂) (leg. A. LEGRAIN)" (Coll. A. LEGRAIN, later ZSM)

43 *Anarta baroni* spec. nov. HACKER & ZILLI

- a ♂, HT "RSA, Cape Province, Wilderness, Knysna, 16.iv.1950 (gen.prep. NHMUK010318490♂) (leg. H. B. D. KETTLEWELL)" (NHMUK)
- b ♀, PT "West Cape, Prince Albert, Bushman Valley, 700 m, 20.ii.2022 (gen.prep. H. HACKER 31787♀) (leg. Th. BARON)" (Coll. Th. BARON)

44 *Anarta kruegeri* spec. nov. HACKER

- a ♂, HT "RSA, NW Province, 5 km n Zeerust, 17.ii.2006 (gen.prep. H. HACKER 31005♂) (leg. H. HACKER & H-P. SCHREIER)" (Coll. H. HACKER, ZSM)
- b ♂, PT "RSA; Gauteng, Highveld, Magaliesburg, Golden Grassland, 1540 m, 12./13.ii.2020 (gen.prep. H. HACKER 31153♂) (leg. H. HACKER)" (Coll. H. HACKER, ZSM)
- c ♂, PT "RSA, Limpopo, Waterberg Mountain, Valwater, 1520 m, 12.-15.xi.2015 (leg. R. FIEBIG, S. SCHELLHORN & D. STADIE)" (Coll. R. FIEBIG)
- d ♀, PT "RSA, Limpopo Prov., Soutpansberg, Nordseite Sandriver Canyon, 737m, 23./25.ii.2014 (leg. STADIE & SCHELLHORN)" (Coll. D. STADIE)

45 *Anarta politzari* spec. nov. HACKER

- a ♀, HT Burkina Faso, "Obervolta, Bobo Dioulasso, 5.iii.[19]75 (gen.prep. H. HACKER 31398♀) (leg. H. POLITZAR)" (ZSM)
- b ♀, PT Burkina Faso, "Obervolta, Bobo Dioulasso, 14.viii.[19]79 (gen.prep. H. HACKER 31412♀) (leg. H. POLITZAR)" (ZSM)

46 *Anarta pallidicosta* (HAMPSON, 1918)


- a ♀, HT Malawi "S, Br. C. Africa, Mt Mlanje [Mulanje], 22.iv.1913 (gen.prep. NHMUK, Noctuidae 2104♀) (leg. S. A. NEAVE)" (NHMUK)

47 *Odontelia daphnadeparisae* MÜLLER, KRAVCHENKO, RONKAY, SPEIDEL, WITT, MOOSER, JUNNILA & ZILLI, 2007

- a ♂, PT "Israel, Arava-Gerofit, xii.2006 (leg. KRAVCHENKO, MÜLLER)" (ZSM)
- b ♀, PT "Israel, Arava-Gerofit, xii.2006 (leg. KRAVCHENKO, MÜLLER)" (ZSM)
- c ♂, PT "Israel, Arava-Gerofit, xii.2002 (leg. V. KRAVCHENKO)" (NHMW)
- d ♂, "Jordan, Southern Desert, Wadi of Jebel Sureibit, 1000 m, 12.iii.1999 (gen.prep. H. HACKER 11317♂) (leg. V. KRAVCHENKO)" (Coll. H. HACKER, ZSM)

48 *Thargelia gigantea* REBEL, 1909

- a ♂, HT of *Hadula griseola* ROTHSCHILD, 1913 "Algeria, Mraier between Biskra and Touggourt, 23.ii.1912 (gen.prep. Ch. BOURSIN R. S. 22♂) (leg. HARTERT & HILGERT)" (NHMUK)
- b ♂, "Libya, Sinauen, 25.i.1970 (gen.prep. G. BEHOUNEK 2065♂) (leg. L. KUALA)" (ZSM)
- c ♀, HT "Egypt, Sinai, Oase Ajun Mûsa, 20.iii.[19]09" (NHMW)



49 *Cardepija sociabilis sociabilis* (DE GRASLIN, 1850)

- a ♂, "Espana, Mallorca, Umg. Ses Saline, Es Trenc, 1-2 m ü.NN (leg. R. FIEBIG)"(Coll. R. FIEBIG)
 b ♀, "Espana, Mallorca, Umg. Ses Saline, Es Trenc, 1-2 m ü.NN (leg. R. FIEBIG)"(Coll. R. FIEBIG)
 c ♀, "Espana, Prov. Almeria, Tabernas Umg, 23.-24.iv.2004, 400 m (leg. STADIE, GELBRECHT & DRECHSEL)"(Coll. D. STADIE)

49 *Cardepija sociabilis mauretanica* ROTHSCILD, 1920

- d ♂, **ST** "Algeria, El Mesrane, v 1913 (gen.prep. NHMUK, Noctuidae 4543♂) (leg. FAROULT)" (NHMUK)
 e ♂, "Morocco, Tan-Tan Plage, 17.iv.1991 (leg. KUCHLER jun.)" (ZSM)
 f ♂, "Morocco, Tafnidilt, 15.ii.[19]69 (leg. J. PLANTE)" (ZSM)
 g ♂, "Spain, Canary Islands, Fuerteventura, Jandia Playa, xi 1972 (leg. R. PINKER)" (ZSM)
 h ♀, "Spain, Gran Canaria, Maspalomas, 9.-28.x.[19]67 (leg. R. PINKER)" (ZSM)
 i ♂, "Tunisia, Oase Metouia (Gabes), 29.ix.-10.x.1980 (leg. M.u.W. GLASER)" (NHMW)
 j ♀, "Tunisia, Oase Metouia (Gabes), 29.ix.-10.x.1980 (leg. M.u.W. GLASER)" (NHMW)

49 *Cardepija sociabilis deserticola* DRAUDT, 1934

- k ♂, **HT** of *Cardepija irritor* ab. *deserticola* (BANG-HAAS, ined.) HAMPSON, 1905"Jordan, 1904" (NHMUK)
 l ♂, "Syria, Prov. Homs, Syrische Wüste, Umg. Palmyra, 450 m, 18.iv.1993 (leg. J. DE FREINA)" (ZSM)
 b ♂, "Israel, SE Almog, -360 m, 29.i.1999 (gen.prep. H. HACKER 31284♂) (leg. C. Li)" (ZSM)

50 *Cardepija affinis affinis* ROTHSCILD, 1913

- a ♂, **HT** of *Cardepija affinis* ROTHSCILD, 1913 "Algeria, Kef-el-Dor" (NHMUK)
 b ♂, **ST** of *Discestra strobilacei* DUMONT, 1925 "Tozeur, e.l. *Halocnemum strobilaceum* 20.vii.1921 (leg. C. DUMONT)" (MNHN)
 c ♀, **ST** of *Discestra strobilacei* DUMONT, 1925 "Tozeur, e.l. *Halocnemum strobilaceum* 20.vii.1921 (leg. C. DUMONT)" (MNHN)
 d ♂, "W. Desert Pr., Mersa Matruh, Mediterranean harbour, 22.iii.1919 (leg. R. S. WILSON)" (OUM)
 e ♀, "Morocco, Tafnidilt, 15.ii.1969"(Coll. H. HACKER, ZSM)
 f ♂, "Espana, Canary islands, Lanzarote, 3,5 km s/e Orzola, 15m, 16.i.2017 (leg. E. FRIEDRICH & P. PEUKER)"(Coll. E. FRIEDRICH)
 g ♀, "Espana, Canary islands, Lanzarote, 3,5 km s/e Orzola, 15m, 18.i.2017 (leg. E. FRIEDRICH & P. PEUKER)"(Coll. E. FRIEDRICH)

50 *Cardepija affinis legraini* HACKER, 1998

- h ♂, **HT** "UAE, Khor Kalba, 0 m, near mangrove, 16.xi.1988 (leg. A. LEGRAIN)"(Coll. A. LEGRAIN)
 i ♀, **PT** "UAE, Khor Kalba, 0 m, near mangrove, 24.x.1994 (leg. A. LEGRAIN & E. STASSART)"(Coll. H. HACKER, ZSM)
 j ♂, "UAE, env. Al-Ghaid, 23.ii.-3.iii.1990 (leg. A. LEGRAIN)"(Coll. H. HACKER, ZSM)

51 *Cardepija quercii* (BERIO, 1941)

- a ♂, "Somalia, Mogadiscio e Basso Scebeli, ii-iv 1940 (leg. E. QUERCII/E. ROMEI)" (MCSM)
 b ♀, "Kenya, Arabuko Sokoke, Mida Creek, 6m, 20.v.2023 (leg. FIEBIG, STADIE & STRUTZBERG)"(Coll. R. FIEBIG)
 c ♀, "Kenya, Coast Sabaki river mouth, Hippopotamus view, 25.v.23 0 m. e.l. (leg. STADIE & STRUTZBERG)"(Coll. D. STADIE)
 d ♀, "Kenya, Coast Sabaki river mouth, Hippopotamus view, 25.v.23 0 m. e.l. (leg. STADIE & STRUTZBERG)"(Coll. D. STADIE)

52 *Cardepija emmanueli* BERIO, 1993

- a ♀, **HT** "Kenya, Samburu Game Lodge [871m], 15.i.1977 (gen.prep. E. BERIO 10355♀) (leg. DE BROS)"(Coll. E. BERIO, MCSN)
 b ♀, "Kenya, Tsavo, Sangala Hills, 4,5 km S of Voi, 583m, 13.-17.v.2023 (gen.prep. H. HACKER 32088♀) (leg. FIEBIG, STADIE & STRUTZBERG)"(Coll. R. FIEBIG)
 c ♀, "Kenya, Tsavo, Sangala Hills, 4,5 km S of Voi, 583m, 13.-17.v.2023 (leg. R. FIEBIG, D. STADIE & H. STRUTZBERG)"(Coll. R. FIEBIG)
 d ♀, "Kenya, Tsavo, Sangala Hills, 4,5 km S of Voi, 583m, 13.-17.v.2023 (leg. R. FIEBIG, D. STADIE & H. STRUTZBERG)"(Coll. R. FIEBIG)

53 *Cardepija mixta* (PAGENSTECHE, 1907)

- a ♀, **HT** "SW-Madagascar, Tulear (leg. S. VOELTZKOW)" (MfN)
 b ♂, "Madagascar, Toliara Ifaty, 10 m, 18.iv.2018 (gen.prep. H. HACKER 31777♂) (leg. Th. BARON)"(Coll. TH. BARON)

54 *Cardepija subvelata* (WALKER, 1875)

- a ♀, **HT** of *Discestra basilewskyi* BERIO, 1972, "St. Helena, Basse Fisher's Valley, 1000 ft., 19.xii.1965 (gen.prep. E. BERIO 4315♀) (leg. P. BASILEWSKYI, P. L. G. BENOIT & N. LELEUP)" (RMCA)
 b ♀, **HT** of *Discestra bergeri* BERIO, 1972, "St. Helena, Basse Fisher's Valley, 1000 ft., 19.xii.1965 (gen.prep. E. BERIO 4314♀) (leg. P. BASILEWSKYI, P. L. G. BENOIT & N. LELEUP)" (RMCA)
 c ♂, "St. Helena, Varneys, 28.vi.1958 (leg. A. LOVERIDGE)" (RMCA)



55 *Cardepiia definiens* (WALKER, 1857)

- a ♂, "RSA, Eastern Cape, Addo, River Front Estate, 30 m, 26.ii.2020 (leg. H. HACKER & H.-P. SCHREIER)" (ZSM)
- b ♀, "RSA, Western Cape, Little Karoo Game Lodge, 330 m, 29.ii.2020 (leg. H. HACKER & H.-P. SCHREIER)" (ZSM)
- c ♀, "RSA, Western Cape, Ladismith, Karoo Conservation Centre, 400 m, 1.iii.2020 (leg. H. HACKER & H.-P. SCHREIER)" (ZSM)

56 *Aspidifrontia semipallida* HAMPSON, 1902

- a ♂, HT "Zimbabwe, Mashonaland, Umtali [Mutare] (gen.prep. NHMUK Noctuidae 2284♂) (leg. G. A. K. MARSHALL)" (NHMUK)
- b ♀, "Zambia, Lianama Umg., 1092m, 15°13'34"S, 23°21'71"E, 6.-7.i.2011 (gen.prep. G. BEHOUNEK 7798♀) (leg. R. BECK & R. WANNINGER)" (ZSM)
- c ♀, "Congo, Elisabethville [Lubumbashi], i 1935 (gen.prep. H. HACKER 31149♀) (leg. Ch. SEYDEL)" (ZSM)
- d ♂, "Congo, Katanga, Elisabethville, 26.i.1952 (leg. Ch. SEYDEL)" (RMCA)

57 *Aspidifrontia hemileuca* (HAMPSON, 1909)

- a ♀, HT of *Matopo hemileuca* HAMPSON, 1909 "Sierra Leone (leg. C. B. MITFORD)" (NHMUK)
- b ♀, AT of *Aspidifrontia berhauti* LAPORTE, 1972 "Senegal, Sébikotane, x 1968 (gen.prep. B. LAPORTE 59♂) (leg. R. P. BERHAUT)" (MNHN)
- c ♂, HT of *Aspidifrontia berhauti* LAPORTE, 1972 "Senegal, Sébikotane, x 1968 (leg. R. P. BERHAUT)" (MNHN)
- d ♂, "Nigeria, Jemaa, 15.x.1971 (gen.prep. H. HACKER 31246♂) (leg. H. POLITZAR)" (ZSM)

58 *Aspidifrontia duplicata* spec. nov. HACKER & ZILLI

- a ♂, HT "[Ghana/Togo] Togoland, 16/IX.[18]93 (NHMUK015057305) (gen.prep. NHMUK014332098♂) ([leg.] L. CONRADT 1892-1893)" (NHMUK)

59 *Aspidifrontia glaucescens* HAMPSON, 1905

- a ♂, HT "Zimbabwe, Mashonaland, Salisbury [Harare], i.1902 (gen.prep. NHMUK Noctuidae 4073♂) (leg. G. A. K. MARSHALL)" (NHMUK)
- b ♂, "RSA, Gauteng, Highveld, Magaliesburg, Golden Grassland, 1540 m, 12./13.ii.2020 (gen.prep. H. HACKER 31248♂) (leg. H. HACKER)" (ZSM)
- c ♂, "Tanzania, Brit. E. Africa, Nata, 19.ii.1960 (gen.prep. H. HACKER 16842♂) (leg. SZUNYOGHY)" (ZSM)
- d ♂, ST of *Brithys russoi* STRAND, 1918 "Congo, 345 km from Kindu (leg. Russo)" (RMCA)

60 *Aspidifrontia villiersi* (LAPORTE, 1972)

- a ♂, HT "Senegal, Linguère, 5-15.ix.1967 (gen.prep. B. LAPORTE 441♂) (leg. A. VILLIERS)" (MNHN)
- b ♀, AT "Ivory Coast, Lamto (Toumodi), 31.x.1970 (leg. A. VUATToux)" (MNHN)
- c ♂, "Nordnigeria, Bauchi, 19.ix.1970 (leg. H. POLITZAR)" (ZSM)
- d ♀, "Congo-Brazzaville, Lefinie Reservation, 13.i.1964 (gen.prep. H. HACKER 31763♀) (leg. ENDRÓDY-YOUNGA)" (ZSM)

61 *Aspidifrontia pallidula* HACKER & HAUSMANN, 2010

- a ♂, HT "Mauritania, Boghé, 5.x.1966 (leg. H. POLITZAR)" (ZSM)
- b ♀, PT "Mauritania, Boghé, 27.x.1966 (gen.prep. H. HACKER 16790♀) (leg. H. POLITZAR)" (ZSM)
- c ♀, PT "Mauritania, Boghé, 9.xi.1966 (gen.prep. H. HACKER 16501♂) (leg. H. POLITZAR)" (ZSM)

62 *Aspidifrontia amoeba* (HAMPSON, 1905)

- a ♀, HT of *Aspidifrontia oblata* BERIO, 1973 "[Tanzania] Central Africa, Saranda, 14.ii.1933 (gen.prep. E. BERIO 4988♂) (leg. KAMPF)" (MSNM)
- b ♂, "Tanzania, D. O. Afrika, Iringa, [19]05 (gen.prep. H. HACKER 17885♂) (leg. ERTL)" (MfN)
- c ♀, "Kenya, Meru Forest, 22.-28.ii.1993 (gen.prep. H. HACKER 31060♀) (leg. H. POLITZAR)" (ZSM)

63 *Aspidifrontia senegalensis* BERIO, 1966

- a ♀, HT "[Senegal], Badi, Niokolo Koba National Park, 15.viii-25.ix.1955" (MNHN)

